

IP MegaPixel Cameras

1.



[Mega Vision IP2 NVR Software 25 MegaPixel IP NVR Software for IP Mega-Pixel Cameras](#)

Price: **\$199.95 IP2NVRSW** **Buy!**

[More Information](#) ▶

- Up to 25 Megapixel IP cameras supported
- H.264 Compression Algorithm
- Supports live view and fast/slow forward/backward playback, frame by frame playback
- Alarm triggered actions: capture snapshot, email, pop-up notify, Emap and more
- Intelligent Video Analysis functions*: Face detection, Missing object detection, suspicious foreign object detection, motion detection
- Image enhancement functions*: Defog Live Video, Software Wide Dynamic Range
- Moving Object Anlysis functions*: Guard line detectcton and counting, retrograde detection
- Note: * these additional functions are available only on the advanced edition of the software

2.



[ACTi 1.3 Megapixel IP Cube Camera, .5 Lux 1.3 Mega Pixel Resolution at 8fps, Two way Audio, 12 volt DVD and POE](#)

Price: **\$266.00 ACM-4201** **Buy!**

[More Information](#) ▶

- **DC 12V or Power over Ethernet (IEEE 802.3af) supported**
- 1/3" Micron Progressive Scan CMOS
- Bundled with f4.2mm / F1.8 Megapixel lens
- 0.5 Lux at F1.0
- Shutter Speed, White Balance, Exposure, Gain Controls

- Selectable MPEG-4 / MJPEG compression
 - Up to SXGA resolution at 8 FPS
 - Multi-stream with variable frame rate in the same compression
 - Two-way audio supported
 - Hardware motion detection
-

3.



[Special ProNet Kit Housing ACTi 1.3 Megapixel IP Cube Camera, .5 Lux, Two way Audio, 12 volt DVD and POE](#)

Price: **\$299.95** ACM-4201SH 

[More Information](#) ▶

- **DC 12V or Power over Ethernet (IEEE 802.3af) supported**
 - 1/3" Micron Progressive Scan CMOS
 - Bundled with f4.2mm / F1.8 Megapixel lens
 - 0.5 Lux at F1.0
 - Shutter Speed, White Balance, Exposure, Gain Controls
 - Selectable MPEG-4 / MJPEG compression
 - Up to SXGA resolution at 8 FPS
 - Multi-stream with variable frame rate in the same compression
 - Two-way audio supported
 - Hardware motion detection
-

4.



[ACTi H.264/M-JPEG/MPEG-4 MegaPixel Indoor IP Cube Camera](#)

Price: **\$322.00** TCM-4201 

[More Information](#) ▶

- H.264/M-JPEG/MPEG-4 MegaPixel
- Indoor IP Cube Camera
- supports up to 1.3 MegaPixel resolution
- w/ two-way audio
- Micron MegaPixel CMOS module
- CS/C Mount

- f4.2mm/F1.8 lens
 - Motion Sensor
 - DC12V
 - PoE
 - Power Adapter
 - ACTi NVR S/W
-

5.



[1.3 Megapixel 2 way Audio IP Box Camera](#)

Price: **\$329.95 IP120-1-3M** 

[More Information](#) ▶

- 1.3 megapixel resolution
 - MPEG-4 / MJPEG compression format
 - 2-way audio
 - Support cell phone / PDA / 3GPP
 - Dual Streaming
 - SDK for software integration
 - Wireless available
 - Free bundle 36 channel recording software
-

6.



[Vivotek 2 Megapixel Fixed Network Camera](#)

Price: **\$339.95 IP7160** 

[More Information](#) ▶

- 2-megapixel CMOS Sensor
- Auto Iris Lens (Optional)
- Real-time MPEG-4 and MJPEG Compression (Dual Codec)
- Multiple Streams Simultaneously
- ePTZ for Data Efficiency
- Activity Adaptive Streaming for Dynamic Frame Rate Control

- Tamper Detection for Unauthorized Changes
 - 3GPP Mobile Surveillance
 - Built-in 802.3af Compliant PoE
 - Two-way Audio via SIP Protocol
 - Built-in SD/SDHC Card Slot for On-board Storage\
 - Includes Free Standard 32-CH ST7501 Central Management Software
-

7.



[ACTi 1.3 Megapixel IP Fixed Dome Security Camera](#)

Price: **\$354.00** ACM-3401 

[More Information](#) ▶

- 1/3" Micron Progressive Scan CMOS
 - Integrated f4.2mm / F1.8 Megapixel lens
 - 0.5 Lux
 - Selectable MPEG-4 / MJPEG compression
 - Up to SXGA resolution at 8 FPS
 - Multi-stream with variable frame rate in the same compression
 - Two-way audio supported
 - Hardware motion detection
 - DC 12 V or Power over Ethernet (IEEE 802.3af) supported
 - Surface and wall mount supported
 - 1 year parts and labor warranty
-

8.



[2.0 Mega-Pixel IP Dome Camera POE](#)

IR Range 65 Feet

Price: **\$399.95** IP2IRDome 

[More Information](#) ▶

- High resolution 1/3" 2.0 Megapixel CMOS Sensor

- Day and night application 42 LEDs makes 25-30m IR view
- Video resolution up to UXGA (1600x1200)
- Dual codec of H.264 and MJPEG
- H.264 baseline profile @Level 3.0 realizes transmission of high definition video over low network bandwidth easily
- Real time transmission up to 30FPS@1MP, D1 and 15PFS@2.0 Megapixel
- Multiple network protocol TCP/IP, HTTP, FTP, NTP, RTP, ARP, ICMP, DHCP, SMTP, POP3, DNS and RTCP
- Remote view and management by IE and client software (CMS)
- Support built-in 802.3af Compliant POE
- Optional SD card storage of video and picture
- Support 2-way audio
- Meet ONVIF standard to enhance compatibility with various branded IP camera and platform for easy integration

9.



[2.0 Mega-Pixel IP Waterproof IR Camera POE](#)

IR Range 135 Feet

Price: **\$399.95 IP2Box** 

[More Information](#) ▶

- High resolution 1/3" 2.0 Megapixel CMOS Sensor
- Day and night application 72 LEDs makes 40-50m IR view
- Video resolution up to UXGA (1600 x 1200)
- Dual codec of H.264 and MJPEG
- H.264 baseline profile @Level 3.0 realizes transmission of high definition video over low network bandwidth easily
- Real time transmission up to 30FPS@1MP, D1 and 15PFS@2.0 Megapixel
- Multiple network protocol- TCP/IP, HTTP, FTP, NTP, RTP, ARP, ICMP, DHCP, SMTP, POP3, DNS and RTCP
- Remote view and management by IE and client software (CMS)
- Support built-in 802.3af Compliant POE
- Optional SD card storage of video and picture
- Support 2-way audio
- Meet ONVIF standard to enhance compatibility with various branded IP camera and platform for easy integration

10.



[2.0 Mega-Pixel IP Box Camera POE](#)

Price: **\$399.95 IP2IRBullet** 

[More Information](#) ▶

- High resolution 1/3" 2.0 Megapixel CMOS Sensor
- Video resolution up to UXGA (1600x1200)
- Dual codec of H.264 and MJPEG
- H.264 baseline profile @Level 3.0 realizes transmission of high definition video overlow network bandwidth easily
- Real time transmission up to 30FPS@1MP, D1 and 15PFS@2.0 Megapixel
- Multiple network protocol- TCP/IP, HTTP, FTP, NTP, RTP, ARP, ICMP, DHCP, SMTP, POP3, DNS and RTCP
- Remote view and management by IE and client software (CMS)
- Support built-in 802.3af Compliant POE
- Optional SD card storage of video and picture Support 2-way audio
- Meet ONVIF standard to enhance compatibility with various branded IP camera and platform for easy integration

11.



[2 MegaPixel Vandal-proof Fixed Dome Mobile Surveillance Network Camera](#)

Price: **\$449.95 MD7560** 

[More Information](#) ▶

- 2-megapixel CMOS Sensor
- EN50155 Compliance for Professional Mobile Surveillance
- Wide Angle Fixed Lens
- Real-time MPEG-4 and MJPEG Compression (Dual Codec)
- Multiple Simultaneous Streams
- Video Cropping for Bandwidth Saving
- ePTZ for Data Efficiency
- Temperature Alarm Trigger
- Tamper Detection for Unauthorized Changes

- IP67 rated, Tamper- and Vandal-proof Housing
 - Built-in 802.3af Compliant PoE
 - Built-in MicroSD/SDHC Card Slot for On-board Storage
-

12.



[ACTi 1.3 Megapixel Superior Low Light PoE IP Box Security Camera](#)

Price: **\$453.95 ACM-5611** 


[More Information](#) ▶

- 1/3" Micron Progressive Scan CMOS
 - Day and night function with Mechanical IR Cut Filter
 - Bundled with f4.2mm / F1.8 Megapixel fixed lens
 - 0.05 Lux at F1.8
 - Shutter Speed, White Balance, Exposure, Gain Controls supported
 - Selectable MPEG-4 / MJPEG compression
 - Up to SXGA resolution at 8 fps
 - Multi-stream with variable frame rate in the same compression
 - Two-way audio supported
 - Hardware motion detection, Digital Input/Output
 - DC 12 V or Power over Ethernet (IEEE 802.3af) supported
 - 1 year parts and labor warranty
-

13.



[2 Megapixel H.264 MPG4 IP66 POE IR Dome Camera](#)

Price: **\$499.95 IP300** 

[More Information](#) ▶

- H.264, MPEG4 and MJPEG simultaneously (Tri-encoders)
 - 2-Megapixel CMOS sensor
 - IP66 Vandal-Resistance Housing
 - 45ft built-in IR LED available
 - 802.3af Power over Ethernet
 - Free bundle 36 ch recording software
 - SD card slot for local video or snapshot
-

14.



* One fixed lens is included.

[ACTi 1.3 Megapixel H.264 IP Box Security Camera \(0.05 Lux @ F1.0\)](#)

Price: **\$538.00 TCM-5611** **Buy!**

[More Information](#) ▶

- 1/3" Micron Progressive Scan CMOS
- Day and night function with Mechanical IR Cut Filter
- Bundled with f4.2mm / F1.8 Megapixel fixed lens
- 0.05 Lux at F1.0
- Interchangeable Lenses Available
- H.264 / MPEG-4 SP / MJPEG triple codec with two simultaneous streams
- Up to SXGA resolution at 18 FPS
- Wide Dynamic Range function supported
- Shutter Speed, White Balance, Exposure, Gain Controls supported
- Two-way audio supported
- Hardware motion detection, Digital Input / Output
- DC 12V or Power over Ethernet (IEEE 802.3af) supported

15.



[Vivitek 2 Megapixel Day & Night Fixed Network Camera](#)

Price: **\$539.95 IP7161** **Buy!**

[More Information](#) ▶

- 2-megapixel CMOS Sensor
- 4.5 ~ 10 mm Vari-focal, Auto-iris Lens
- Removable IR-cut Filter for Day & Night Function
- Real-time MPEG-4 and MJPEG Compression (Dual Codec)
- Multiple Streams Simultaneously
- ePTZ for Data Efficiency
- Activity Adaptive Streaming for Dynamic Frame Rate Control
- Tamper Detection for Unauthorized Changes

- Built-in 802.3af Compliant PoE
 - Two-way Audio via SIP Protocol
 - Built-in SD/SDHC Card Slot for On-board Storage
 - CS- or C-mount Adjustment Ring for Flexible Lens Installation
-

16.



[ACTi 1.3 Megapixel IP Fixed Dome Camera with Vari-focal Lens](#)

Price: **\$553.00 ACM-3511** **Buy!**

[More Information](#) ▶

- 1/3" Micron Progressive Scan CMOS
 - Day and night function with Mechanical IR Cut Filter
 - Integrated f3.3~12 mm / F1.6 Megapixel lens
 - 0 Lux at F1.6 (IR LED ON)
 - Selectable MPEG-4 / MJPEG compression
 - Up to SXGA resolution at 8 FPS
 - Multi-stream with variable frame rate in the same compression
 - Two-way audio supported
 - Hardware motion detection
 - **DC 12 V or Power over Ethernet (IEEE 802.3af) supported**
 - Surface and wall mount supported
-

17.



[Acti H.264 4-Megapixel IP D/N PoE Box Camera](#)

Price: **\$576.00 KCM-5111** **Buy!**

[More Information](#) ▶

- 1/3.2" BSI Progressive Scan CMOS
- Day and night function with mechanical IR cut filter
- Minimum illumination 0.05 lux at F2.0

- Bundled f2.8 mm / F2.0 Megapixel fixed lens
 - Optional P-Iris lens available
 - 8 fps at 2032 x 1920 resolution (1561 TV lines)
 - Selectable H.264, MPEG-4 SP, MJPEG compressions with dual streaming
 - Up to 4 cropped regions as independent channels
 - Two-way audio
 - Digital input and digital output
 - Video Motion Detection
 - Powered by PoE Class 3 / DC 12V
 - Outdoor housings not supported
-

18.



[Vivotek 2 Megapixel H.264 Day & Night Fixed Network Camera](#)

Price: **\$599.95** **FD8161** 

[More Information](#) ▶

- 2-megapixel CMOS Sensor
 - 3 ~ 8 mm Vari-focal, Auto-iris Lens
 - Removable IR-cut Filter for Day & Night Function
 - Real-time H.264, MPEG-4 and MJPEG Compression (Triple Codec)
 - Multiple Streams Simultaneously
 - Video Cropping for Bandwidth Saving
 - ePTZ for Data Efficiency
 - Activity Adaptive Streaming for Dynamic Frame Rate Control
 - Tamper Detection for Unauthorized Changes
 - Built-in 802.3af Compliant PoE
 - Built-in SD/SDHC Card Slot for On-board Storage
 - CS- or C-mount Adjustment Ring for Flexible Lens Installation
-

19.



[ACTi 1.3 Megapixel Outdoor IP IR Bullet Security Camera](#)

IR Range 60 Feet

Price: \$611.95 ACM-1231 [Buy!](#)

[More Information](#) ▶

- **DC 12 V or Power Over Ethernet (IEEE 802.3af) supported**
 - 1/3" Micron Progressive Scan CMOS chip
 - 1.3 Megapixel resolution
 - Day and night function with mechanical IR Cut Filter
 - Integrated 3.3 - 12mm varifocal Lens
 - Selectable MPEG-4 / MJPEG compression
 - Up to SXGA resolution at 8 fps
 - Multi-stream with variable frame rate in the same compression
 - Two-way audio supported
 - Hardware motion detection
 - IP66 weatherproof supported
 - Recording and viewing software included
 - 2 year parts and labor warranty
-

20.



[ACTi 1.3 Megapixel IP Rugged Dome Security Camera](#)

Price: \$653.00 ACM-7411 [Buy!](#)

[More Information](#) ▶

- 1/3" Micron Progressive Scan CMOS
 - Day and night function with Mechanical IR Cut Filter
 - Integrated f3.3~12 mm / F1.6 Megapixel lens
 - 0.05 Lux at F1.0
 - Selectable MPEG-4 / MJPEG compression
 - Up to SXGA resolution at 8 FPS
 - Multi-stream with variable frame rate in the same compression
 - Two-way audio supported
 - Hardware motion detection, Digital Input/Output
 - DC 12 V or Power over Ethernet (IEEE 802.3af) supported
 - Heavy-duty, weatherproof and vandal proof with IP66 protection
 - Surface, flush and wall mount supported
 - 1 year parts and labor warranty
-

21.



[Vivotek 2 Megapixel H.264 Day & Night Fixed Network Camera](#)

Price: **\$679.95 IP8161** **Buy!**

[More Information](#) ▶

- 2-megapixel CMOS Sensor
- 3 ~ 8 mm Vari-focal, Auto-iris Lens
- Removable IR-cut Filter for Day & Night Function
- Real-time H.264, MPEG-4 and MJPEG Compression (Triple Codec)
- Multiple Streams Simultaneously
- Video Cropping for Bandwidth Saving
- ePTZ for Data Efficiency
- Activity Adaptive Streaming for Dynamic Frame Rate Control
- Tamper Detection for Unauthorized Changes
- Built-in 802.3af Compliant PoE
- Built-in SD/SDHC Card Slot for On-board Storage
- CS- or C-mount Adjustment Ring for Flexible Lens Installation

22.



[6" Outdoor High Speed IP PTZ Camera w Dual Stream H.264, 480TV Lines, 27X Zoom Camera](#)

Price: **\$695.95 IPD1PTZ** **Buy!**

[More Information](#) ▶

- 6" Outdoor High Speed IP PTZ Camera
- 1/4" Sony CCD 3.6-97.2 mm lens
- H.264 compression dual streaming
- D1 resolution Frame Rate 30FPS
- 480 TV Lines Resolution
- 27X Zoom camera
- Multiple protocol: TCP/IP, HTTP, FTP, SMTP, DHCP, etc
- 128 preset movement patterns

- 360 Degrees continuous pan and 90 Degrees auto-tilt rotation
 - Pan rotation speed 1-300 Degrees/s, tilt rotation speed 45 Degrees/s
 - Pelco-D/Pelco-P
 - Two-way audio, RS485, CMS software
-

23.



[Vivotek 2 Megapixel Outdoor Day & Night Network Bullet Camera](#)

Price: \$699.95 IP7361 **Buy!**

[More Information](#) ▶

- 2-megapixel CMOS Sensor
 - 3 ~ 9 mm Vari-focal, Auto-iris Lens
 - Removable IR-cut Filter for Day & Night Function
 - Built-in IR Illuminators, effective up to 25 Meters
 - Real-time MPEG-4 and MJPEG Compression (Dual Codec)
 - Multiple Streams Simultaneously
 - ePTZ for Data Efficiency
 - Weather-proof IP67 rated Housing
 - Built-in 802.3af Compliant PoE
 - Two-way Audio via SIP Protocol
 - Built-in SD/SDHC Card Slot for On-board Storage
 - Mounting Bracket with Cable Management for Protected Installation
-

24.



[2 MegaPixel PIR Focus Assist Hassle-free Installation WDR Enhanced Dome Network Camera](#)

Price: \$769.95 FD8162 **Buy!**

[More Information](#) ▶

- 2-megapixel CMOS Sensor
- Up to 30 fps @ 1080p Full HD

- Removable IR-cut Filter for Day & Night Function
- Built-in IR Illuminators, effective up to 15 Meters
- Real-time H.264, MPEG-4 and MJPEG Compression (Triple Codec)
- Built-in PIR Sensor for Human Detection
- WDR Enhancement for Unparalleled Visibility in Extremely Bright or Dark Environments
- Built-in Focus Assist Button for Precise Focus Adjustment
- Hassle-free Installation
- Built-in 802.3af Compliant PoE
- Built-in MicroSD/SDHC Card Slot for On-board Storage

25.



[2 MegaPixel H.264 Day & Night Vandal-proof Fixed Dome Network Camera](#)

Price: **\$869.95 FD8361L** [Buy!](#)

[More Information](#) ▶

- 2-megapixel CMOS Sensor
- 3 ~ 9 mm Vari-focal, Auto-iris Lens
- Removable IR-cut Filter for Day & Night Function
- Built-in IR Illuminators, effective up to 20 Meters
- Real-time H.264, MPEG-4 and MJPEG Compression (Triple Codec)
- Multiple Simultaneous Streams
- Video Cropping for Bandwidth Saving
- ePTZ for Data Efficiency
- Activity Adaptive Streaming for Dynamic Frame Rate Control
- Tamper Detection for Unauthorized Changes
- Vandal-proof and Weather-proof IP66 rated Housing
- Built-in 802.3af Compliant PoE (Class 3)
- Built-in SD/SDHC Card Slot for On-board Storage
- Built-in Heater and Fan, supported by PoE
- 3-axis Mechanical Design for Ceiling/Wall Mount Installation
- Supports ONVIF Standard to Simplify Integration and Enhance Interoperability

26.



[Vivotek 2 MegaPixel IP Dome Camera D&N Vandal Proof H.264](#)

IR Range 65 Feet

Price: **\$879.95** FD8361 **Buy!**

[More Information](#) ▶

- 2-megapixel CMOS Sensor
- 3 ~ 9 mm Vari-focal, Auto-iris Lens
- Removable IR-cut Filter for Day & Night Function
- Built-in IR Illuminators, effective up to 65 Feet
- Real-time H.264, MPEG-4 and MJPEG Compression (Triple Codec)
- Simultaneous Multiple Streams
- Video Cropping for Bandwidth Saving
- ePTZ for Data Efficiency
- Activity Adaptive Streaming for Dynamic Frame Rate Control
- Tamper Detection for Unauthorized Changes
- Vandal-proof and IP66-rated Weather-proof Housing
- Built-in 802.3af Compliant PoE
- Built-in SD/SDHC Card Slot for On-board Storage
- Built-in Heater and Fan, supported by PoE
- 3-axis Mechanical Design for Ceiling/Wall Mount Installation
- Supports ONVIF Standard to Simplify Integration and Enhance Interoperability

27.



[3 Megaapixel IP In/Outdoor Mega Mono Camera \(excluding lens\)](#)

Price: **\$899.95** MX-M24M-Sec **Buy!**

[More Information](#) ▶

High-quality security camera with megapixel resolution (2048 x 1536 pixels) and a digital zoom, a frame rate of 30 VGA images (640 x 480 pixels) per second, video recordings via a ring buffer and all the convenient MOBOTIX functions for video surveillance.

- 3Mega 2048x1536 CMOS Color
- 1 lux (t=1/60 sec) / 0.05 lux (t=1/1 sec)
- 8x Digital Zoom
- 64 MB Internal Image Storage
- Up to 32 GB MicroSD Slot

28.



[2 MegaPixel Full HD Focus Assist WDR Enhanced Fixed Network Camera](#)

Price: **\$899.95 IP8162** [Buy!](#)

[More Information](#) ▶

- 2 megapixel CMOS Sensor
- 3.1 ~ 8 mm Vari-focal, Auto-iris Lens
- Up to 30 fps @ 1080p Full HD
- Removable IR-cut Filter for Day & Night Function
- Built-in Focus Assist Button for Precise Focus Adjustment
- Supports WDR Enhancement for Unparalleled Visibility in Extremely Bright and Dark Environments
- Real-time H.264, MPEG-4 and MJPEG Compression (Triple Codec)
- Simultaneous Multiple Streams
- Video Cropping for Bandwidth Saving
- ePTZ for Data Efficiency
- Activity Adaptive Streaming for Dynamic Frame Rate Control
- Built-in SD/SDHC Card Slot for On-board Storage
- Built-in 802.3af Compliant PoE

29.



[Mobotix 3 Megapixel In/Outdoor Mega Mono Camera \(excluding lens\)](#)

Price: **\$899.95 MX-M24M-Sec-Night** [Buy!](#)

[More Information](#) ▶

High-quality security camera with megapixel resolution (1280 x 960 pixels) and a digital zoom, a frame rate of 30 Mega images per second, video recordings via a ring buffer and all the convenient MOBOTIX functions for video surveillance.

- Fast, simple installation on wall, pole or ceiling
- Integrated DVR with HiRes video recording without network load
- Robust, low-maintenance and weatherproof from -30 to +60C (-22 to +140F), (IP66)
- Digital continuous zoom, pan and tilt
- Integrated microphone and speaker with improved sound quality

30.



[Supreme Night Visibility 1.3 MegaPixel Exceptional 60 fps Network Bullet Camera](#)

Price: **\$899.95 IP8352** **Buy!**

[More Information](#) ▶

- 1.3 Megapixel CMOS Sensor
- Supreme Night Visibility
- Up to 60 fps @ 720p HD
- Up to 30 fps @ 1280x1024 (1.3MP)
- 3 ~ 9 mm Vari-focal, Auto-iris Lens
- Removable IR-cut Filter for Day & Night Function
- Built-in IR Illuminators, effective up to 20 Meters
- Real-time H.264, MPEG-4 and MJPEG Compression (Triple Codec)
- Weather-proof IP67 rated Housing
- Built-in 802.3af Compliant PoE (Class 3)
- Built-in MicroSD/SDHC Card Slot for On-board Storage
- Supports Gigabit Ethernet Data Transmission
- Mounting Bracket with Cable Management for Protected Installation

31.



[Night In/Outdoor Mega Mono Night, excluding lens](#)

Price: **\$900.00 MX-D24M-Sec-Night** **Buy!**

[More Information](#) ▶

- Mega, 1280x960, CMOS sensor black/white (IR-sensitive)

- Image Storage 64 MB / Internal DVR 32 GB Max
 - up to 0.005 lux Sensitivity
 - PoE (IEEE 802.3af)
 - Outdoor Indoor weatherproof (IP65)
-

32.



[ACTi 1.2 Megapixel H.264 CCD IP Box Security Camera](#)

Price: \$914.00 TCM-5311 [Buy!](#)

[More Information](#) ▶

- **DC 12V or Power Over Ethernet (IEEE 802.3af) supported**
 - 1/3" Sony 1.25 M EXviewHAD CCD
 - Day and night function with Mechanical IR Cut Filter
 - 0.05 Lux at F1.2
 - Interchangeable Lenses Available
 - White Balance, Exposure, Gain Controls supported
 - The external back focus feature allows for easy and precise focus adjustments
 - H.264 / MPEG-4 / MJPEG triple codec with two simultaneous streams
 - Up to 1280 x 960 resolution at 15 FPS
 - Two-way audio supported
 - Hardware motion detection, Digital Input / Output
 - The lens needs to be purchased separately.
-

33.



[Supreme Night Visibility P-iris WDR Enhanced Focus Assist 1.3 MegaPixel Network Camera](#)

Price: \$939.95 IP8151P [Buy!](#)

[More Information](#) ▶

- 1.3 Megapixel CMOS Sensor
- Supreme Night Visibility
- Up to 30 fps @ 1280x1024 (1.3MP)
- 3.1 ~ 8 mm Vari-focal, P-iris Lens
- Removable IR-cut Filter for Day & Night Function
- Built-in Focus Assist Button for Precise Focus Adjustment

- Supports WDR Enhancement for Unparalleled Visibility in Extremely Bright and Dark Environments
- Real-time H.264, MPEG-4 and MJPEG Compression (Triple Codec)
- Simultaneous Multiple Streams
- ePTZ for Data Efficiency
- Activity Adaptive Streaming for Dynamic Frame Rate Control
- Built-in SD/SDHC Card Slot for On-board Storage
- Built-in 802.3af Compliant PoE
- CS- or C-mount Adjustment Ring for Flexible Lens Installation

34.



[Q24M In/Outdoor weatherproof 3 Mega Mobotix Hemispheric Camera](#)

Price: **\$998.00 Q24M-Sec-Night-BW-D11** **Buy!**

[More Information](#) ▶

- L11 Hemispheric 11mm All Around View
- 3MEGA, 2048x1536, CMOS-Sensor Sensitivity
- 1 lux (t = 1/60 sex), 0.05 lux (t= 1/1 sec)
- MicroSD-Slot 32 GB Capacity
- 2 Year Warranty
- [Live Demo](#)

35.



[Vivotek 3.1MP 360 Degrees Surround View Vandal-proof Fisheye Fixed Dome Network Camera](#)

Price: **\$999.95 FE8171V** **Buy!**

[More Information](#) ▶

- 3.1-megapixel CMOS Sensor
- 1.27 mm Fisheye Lens for 180 Degrees Panoramic View and 360 Degrees Surround View
- Removable IR-cut Filter for Day & Night Function
- EN50155 Compliance for Professional Mobile Surveillance
- Real-time H.264, MPEG-4 and MJPEG Compression (Triple Codec)

- Vandal-proof IK10-rated and Weather-proof IP66-rated Housing
 - Built-in 802.3af Compliant PoE
 - Built-in MicroSD/SDHC/SDXC Card Slot for On-board Storage
-

36.



[2 MegaPixel Full HD P-iris Focus Assist WDR Enhanced Network Camera](#)

Price: **\$999.95 IP8162P** 

[More Information](#) ▶

- 2-megapixel CMOS Sensor
 - 3.1 ~ 8 mm Vari-focal, P-iris Lens
 - Up to 30 fps @ 1080p Full HD
 - Removable IR-cut Filter for Day & Night Function
 - Built-in Focus Assist Button for Precise Focus Adjustment
 - Supports WDR Enhancement for Unparalleled Visibility in Extremely Bright and Dark Environments
 - Real-time H.264, MPEG-4 and MJPEG Compression (Triple Codec)
 - Simultaneous Multiple Streams
 - Video Cropping for Bandwidth Saving
 - ePTZ for Data Efficiency
 - Activity Adaptive Streaming for Dynamic Frame Rate Control
 - Built-in SD/SDHC Card Slot for On-board Storage
 - Built-in 802.3af Compliant PoE
-

37.



[2MP Remote Focus Vandal-proof WDR Enhanced -40C to 55C Extreme Weatherproof Dome Network Camera](#)

Price: **\$1,079.95 FD8362E** 

[More Information](#) ▶

- 2-megapixel CMOS Sensor
- Up to 30 fps @ 1080p Full HD

- Removable IR-cut Filter for Day & Night Function
- Real-time H.264, MPEG-4 and MJPEG Compression (Triple Codec)
- WDR Enhancement for Unparalleled Visibility in Extremely Bright or Dark Environments
- Smart Focus System for Remote and Precise Focus Adjustment
- Vandal-proof IK10-rated and Weather-proof IP66-rated Housing
- -40C ~ 55C Wide Temperature Range for Extreme Weather Conditions
- Built-in 802.3af Compliant PoE
- Built-in MicroSD/SDHC Card Slot for On-board Storage

38.



[Mobotix 3 Megapixel IP Dual Day & Night Cameras with Wide Angle 43mm Lenses](#)

Price: \$1,198.00 MX-M12D-IT-DNight-D135N135 **Buy!**

[More Information](#) ▶

Weatherproof dual network camera with VGA resolution and two wide-angle or telephoto lenses with a color or black-and-white sensor for use around the clock. Depending on the lighting conditions, the camera automatically switches between the color sensor with the daylight lens and the more light-sensitive black-and-white lens. Integrates all MOBOTIX functions.

- Two separate image sensors for day and night-time operation
- Integrated DVR with HiRes video recording
- Permanently fixed lenses at factory for extremely simple installation
- Robust, low-maintenance and with concealed cabling
- Weatherproof from -30 to +60C (-22 to +140F), without need for heating (IP65)
- Digital continuous zoom, pan and tilt
- Integrated microphone, speaker and PIR motion detector

39.



[180 Degree Panoramic In/Outdoor 3 Mega Pixel Mono IP Mobotix Hemispheric Camera](#)

Price: \$1,199.95 MX-M24M-Sec-D11 **Buy!**

[More Information](#) ▶

- 3MEGA, 2048x1536, CMOS sensor color
- 1 lux (t = 1/60 sec) / 0.05 lux (t = 1/1 sec) Sensitivity
- 64 MB Internal Image Storage / Up to 32 GB MicroSD Slot
- [Live Demo](#)

40.



[Mobotix IP 3 Megapixel Weatherproof Dual Network Camera with Day & Night sensor: Super Wide Angle 22mm Lenses](#)

Price: **\$1,598.00** MX-M12D-Sec-DNight-D22N22 

[More Information](#) ▶

- Automatic Switching Day & Night Depending on Illumination
- 3MEGA, 2048x1536, CMOS sensor color
- Mega 1280x960, CMOS sensor black/white (IR-sensitive)
- 8x Digital Zoom
- 64 MB Internal Image Storage / Up To 32 GB MicroSD Slot
- [Live Demo](#)

41.



[20x Zoom 2MP Full HD WDR Technology -40C ~ 55C Extreme Weatherproof Exceptional 60 fps PoE Plus Network Camera](#)

Price: **\$2,699.95** SD8362E 

[More Information](#) ▶

- Full HD SONY CMOS Sensor
- Up to 60 fps @ 720p HD
- Up to 30 fps @ 1080p Full HD
- 20x Zoom Lens
- Removable IR-cut Filter for Day & Night Function
- 360 Degrees Continuous Pan and 90 Degrees Tilt

- Real-time H.264, MPEG-4 and MJPEG Compression (Triple Codec)
 - WDR Technology for Unparalleled Visibility in High Contrast Environments
 - Weather-proof IP66 rated Housing
 - -40C ~ 55C Wide Temperature Range for Extreme Weather Conditions
 - Audio Detection for Instant Alerts
 - Built-in 802.3at Compliant PoE Plus
 - 3D Privacy Masks for Additional Protection
 - Built-in SD/SDHC Card Slot for On-board Storage
-